

60kW inverter DC operating voltage range



Overview

8% conversion efficiency, a wide operating range of Standard warranty, extension up to 20 years 200-1000 Vdc, and four MPPTs for maximum energy harvest. *For detailed information, please refer to the Installation Manual. The 50 & 60kW (55 & 66kVA) medium power CPS three phase string inverters are designed for ground mount, rooftop and carport applications. 8% peak. Grid Passthrough Current (10min) Max. Battery Charge / Discharge Current See Installation Guide for more details on sizing array strings. Options include an integrated fused subcombiner, forward facing disconnects, stainless steel. *1 The maximum input voltage is the upper limit of the DC voltage. Any higher input DC voltage would probably damage inverter.

60kW inverter DC operating voltage range



THREE PHASE STRING INVERTER 60KW

They provide up to 98.8% conversion efficiency, a wide operating range of Standard warranty, extension up to 20 years. 200-1000 Vdc, and four MPPTs for maximum energy harvest. *For detailed ...

Commercial 60kW

High efficiency at 98.8% peak and 98.5% CEC, wide operating voltages, broad temperature ranges and a NEMA Type 4X enclosure enable this inverter platform to operate at high performance across ...



SUN2000-60KTL-M0

*1 The maximum input voltage is the upper limit of the DC voltage. Any higher input DC voltage would probably damage inverter. *2 Any DC input voltage beyond the operating voltage range may result in ...

CPS SCA50-60KTL-DO-US-480 DS June-30-2017

50/60kW, 1000Vdc String Inverters for North America The 50 & 60kW medium power CPS three phase string inverters designed for ground mount, large rooftop and carport applications.



X3 Mega G2 60kW OnGrid Inverter

X3 MEGA G2 60kW on-grid inverter offers 98.4% efficiency, up to 150% PV oversizing, and advanced smart features for optimal energy harvest.

ATESS HPS60000TL-US-480A Datasheet-20250609

HPS60000TL-US-480A 60kW three phase all-in-one hybrid inverter for small commercial use.



60K-480V Datasheet (EN)

The highest input voltage is based on the open-circuit voltage of the array at the minimum design temperature. Active BMS communication is required for all

lithium batteries. A list of compatible ...



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.59empagm.pl>

